



NOAA - National Weather Service


Tampa Bay Area

2525 14th Avenue SE, Ruskin, Florida 33570


813-645-2323 <http://weather.gov/tampabay>

Dry Stretch from November 2016 to January 2017 and January 2017 Ends Up Being the Eleventh Month in a Row with Above Normal Temperatures

As is pretty typical during a La Niña Winter, the "dry season" has turned out to be even drier than usual with many locations across West Central and Southwest Florida in one of the Top Ten Driest stretches for November through January (see table on next page). Rainfall across most of the region over the last three months has been less than 4 inches, with a few areas in Citrus, Sumter, and Polk Counties seeing up to 6 inches. These rainfall amounts are 3 to over 6 inches below normal for this time of year. Luckily though during last year most of the region saw above normal rainfall and this is helping to delay and alleviate the potential drought conditions.



Rainfall Nov 2016-Jan 2017




Departure fm Normal

NOVEMBER 2016 THROUGH JANUARY 2017 RAINFALL AND DRIEST RANKINGS:


Location	Nov-Jan		Normal	Departure fm Normal
	Rank	Rainfall	Nov-Jan Rainfall	
St Petersburg	1st	0.99	7.22	-6.23
Punta Gorda 4 ESE	2nd	1.23	5.49	-4.26
Venice	2nd	1.33	6.58	-5.25
Tampa	2nd(tie)	1.34	6.25	-4.91
Archbold Bio Stn	4th	1.25	5.82	-4.57
Plant City	4th	1.77	7.21	-5.44
Bartow	5th	1.95	7.03	-5.08
Tarpon Springs	7th	2.21	8.09	-5.88
Inverness 3 SE	7th	3.41	7.26	-3.85
Winter Haven	8th	2.67	7.24	-4.57
Sarasota-Bradenton	14th	2.97	6.95	-3.98
Fort Myers	15th	1.77	5.61	-3.84
Wauchula 2 N	24th	3.08	6.33	-3.25
Lakeland	27th	3.84	7.54	-3.70

More details including other Top Driest November to January statistics are located within the tables on the following pages for sites that have data available.

Looking at January 2017 we see that temperatures averaged above normal and ended up as one of the Top Ten Warmest Januarys in a few locations. However, many other locations could have ended up in the Top Ten Warmest if we didn't have the cool spell during the last five days of the month.





Avg Temp Jan 2017



Departure fm Normal

Rainfall was a little more variable during January 2017 and ranged from less than an inch over portions of Charlotte, Desoto, and Highlands Counties to over 4 inches in portions of Citrus County.



On the following pages are tables of the Top Ten Warmest and Top Ten Wettest/Driest Januarys for some sites across the region, along with the January 2017 average/totals, and the 1981 to 2010 Normals. There is also a section about the Top Driest November to January periods at the sites that have data available.

CHIEFLAND 5 SE (records began in June 1956):

Warmest Januarys		Wettest Januarys		Driest Januarys	
1	67.8 in 1974	1	14.50 in 1964	1	0.25 in 1974
2	62.9 in 1993	2	10.59 in 1979	2	0.36 in 2013
3	62.8 in 1972	3	9.53 in 1994	3	0.47 in 1957
4	62.3 in 2013	4	9.39 in 1991	4	0.61 in 1968
5	61.5 in 1957	5	7.65 in 1987	5	1.10 in 2001
6	61.4 in 1990	6	6.97 in 1988	6	1.11 in 1981
7	61.3 in 1989	7	6.54 in 2014	7	1.15 in 1960
8	61.0 in 1975	8	6.22 in 1986	8	1.51 in 1989
9	60.6 in 1991	9	6.20 in 1978	9	1.59 in 1962
10	59.9 in 1998	10	5.84 in 1980	10	1.60 in 2004

Average Temperature for January 2017 = Several Days Missing
Normal Temperature for January at CHIF1 = 54.3

Total Rainfall for January 2017 = Several Days Missing
Normal Rainfall for January at CHIF1 = 3.89

Top Driest Nov - Jan Periods (inches)

- 1 0.80 in 1956-1957
- 2 3.36 in 2011-2012
- 3 3.70 in 1980-1981
- 4 4.47 in 1959-1960
- 5 4.58 in 2003-2004

Total Rainfall Nov 2016 - Jan 2017 = Several Days Missing
Normal Rainfall Nov - Jan = 9.26 in

INVERNESS 3 SE (records began in July 1948):

Warmest Januarys		Wettest Januarys		Driest Januarys	
1	70.3 in 1974	1	9.56 in 1994	1	0.00 in 1950
2	68.1 in 1950	2	6.47 in 1963	2	0.10 in 2005
3	64.8 in 1949	3	6.38 in 1958	3	0.26 in 1974
4	64.6 in 1957	4	6.26 in 1988	4	0.30 in 2013
5	63.4 in 1993	5	6.06 in 1979	5	0.35 in 1951
6	63.3 in 1967	6	5.96 in 1964	6	0.64 in 1952
7	63.1 in 1989	7	5.78 in 1980	7	0.67 in 1957
8	62.6 in 1975	8	5.60 in 1978	8	0.72 in 1949
9	62.4 in 1952	9	5.53 in 1986	9	0.75 in 2012
10	62.0 in 2017	10	5.44 in 1998	10	0.82 in 2006
		
		32	2.90 in 2017	37	2.90 in 2017

Normal Temperature for January at INVFl = 59.1

Normal Rainfall for January at INVFl = 3.09

Top Driest Nov - Jan Periods (inches)

- 1 1.21 in 1956-1957
- 2 1.50 in 2004-2005
- 3 1.72 in 2012-2013
- 4 2.30 in 1949-1950
- 5 2.52 in 2011-2012
- 6 3.08 in 1982-1983
- 7 3.41 in 2016-2017

Normal Rainfall Nov - Jan = 7.26 in

BROOKSVILLE AREA (records began in January 1892):

Warmest Januarys		Wettest Januarys		Driest Januarys	
1	71.2 in 1974	1	9.15 in 1912	1	Trace in 1950
2	71.0 in 1937	2	7.85 in 1994	2	0.13 in 1927
3	69.4 in 1950	3	7.68 in 1964	3	0.16 in 2003
4	68.9 in 1947	4	7.14 in 1959	4	0.31 in 1907
5	68.0 in 1913	5	7.04 in 1906	5	0.35 in 1902
6	66.7 in 1972	6	6.66 in 1988	6	0.39 in 1943
7	66.6 in 1989	7	6.19 in 1914	7	0.44 in 2013
8	66.5 in 1949	8	6.03 in 1899	8	0.48 in 1951
9	66.0 in 1917	9	5.74 in 1936	9	0.53 in 1928
10	65.6 in 1932	10	5.67 in 1958	10	0.59 in 1937
	65.6 in 1907				

Average Temperature for January 2017 = Numerous Days Missing
Normal Temperature for January at BKV = 56.7

Total Rainfall for January 2017 = Numerous Days Missing
Normal Rainfall for January at BKV = 3.22

ST LEO (records began in April 1895):

Warmest Januarys		Wettest Januarys		Driest Januarys	
1	71.9 in 1937	1	8.71 in 1899	1	0.00 in 1950
2	69.2 in 1947	2	7.61 in 1914	2	0.18 in 1937
3	68.7 in 1950	3	7.55 in 1912	3	0.25 in 1927
4	67.8 in 1913	4	7.37 in 1903	4	0.34 in 1907
5	67.5 in 1972	5	7.15 in 1941	5	0.48 in 1898
6	66.9 in 1949	6	6.32 in 1948	6	0.51 in 1943
7	66.6 in 1989	7	6.15 in 1904		0.51 in 1905
8	66.5 in 1990	8	6.13 in 1982	8	0.52 in 2006
	66.5 in 1916	9	6.10 in 1906		0.52 in 1951
10	66.4 in 1932	10	6.07 in 2016	10	0.59 in 1947

Average Temperature for January 2017 = Not Available Yet
Normal Temperature for January at STLf1 = 60.9

Total Rainfall for January 2017 = Not Available Yet
Normal Rainfall for January at STLf1 = 3.29

TARPON SPRINGS (records began in January 1892):

Warmest Januarys		Wettest Januarys		Driest Januarys	
1	71.4 in 1937	1	8.23 in 2011	1	0.00 in 1950
2	70.0 in 1950	2	8.16 in 1948	2	0.07 in 1974
3	69.5 in 1947	3	7.96 in 1986	3	0.18 in 1898
4	67.9 in 1932	4	6.43 in 1936	4	0.22 in 1927
5	67.6 in 1993	5	6.17 in 1958	5	0.30 in 1907
6	67.5 in 1913	6	6.15 in 1964	6	0.32 in 1943
7	66.7 in 1989	7	5.91 in 1912	7	0.34 in 1905
8	66.6 in 1991	8	5.88 in 1994	8	0.36 in 1917
9	66.4 in 1972	9	5.87 in 1979	9	0.48 in 1932
	66.4 in 1916	10	5.82 in 1941	10	0.51 in 1916
...		
19	64.2 in 2017	76	2.09 in 2017	50	2.09 in 2017

Normal Temperature for January at TRPF1 = 59.7

Normal Rainfall for January at TRPF1 = 2.99

Top Driest Nov - Jan Periods (inches)

1	1.57 in 1946-1947
2	1.68 in 1906-1907
3	1.80 in 1949-1950
4	1.81 in 1938-1939
5	2.16 in 1934-1935
6	2.20 in 1931-1932
7	2.21 in 2016-2017

Normal Rainfall Nov - Jan = 8.09 in

TAMPA AREA (records began in April 1890):

Warmest Januarys		Wettest Januarys		Driest Januarys	
1	72.4 in 1937	1	8.02 in 1948	1	Trace in 1950
2	71.1 in 1974	2	6.73 in 1904	2	0.08 in 1927
3	69.5 in 1950	3	6.45 in 1899	3	0.11 in 2003
4	69.1 in 1947	4	6.33 in 1903	4	0.17 in 1974
5	68.1 in 1913	5	6.28 in 2011	5	0.18 in 1949
6	67.6 in 1932	6	6.18 in 2016	6	0.26 in 1932
7	67.2 in 1949	7	6.17 in 1912	7	0.28 in 1902
8	67.1 in 2013	8	5.72 in 1979	8	0.29 in 1916
	67.1 in 1989	9	5.42 in 1996	9	0.35 in 1943
	67.1 in 1916	10	5.41 in 1958	10	0.39 in 1935
...		
14	66.3 in 2017	97	0.90 in 2017	30	0.90 in 2017
			0.90 in 1923		0.90 in 1923

Normal Temperature for January at TPA = 60.8

Normal Rainfall for January at TPA = 2.23

Top Driest Nov - Jan Periods (inches)

- 1 1.11 in 1906-1907
- 2 1.34 in 2016-2017**
- 1.34 in 1949-1950
- 4 1.49 in 1975-1976
- 5 1.50 in 1931-1932

Normal Rainfall Nov - Jan = 6.25 in

ST PETERSBURG (records began in August 1914):

Warmest Januarys		Wettest Januarys		Driest Januarys	
1	73.3 in 1937	1	10.39 in 1948	1	Trace in 1950
2	71.7 in 1974	2	7.45 in 1964	2	0.08 in 1956
3	70.8 in 1947	3	7.13 in 2016	3	0.12 in 2003
4	70.4 in 1950	4	6.71 in 1915	4	0.13 in 1927
5	69.8 in 1932	5	6.37 in 1996	5	0.16 in 1976
6	69.5 in 1972	6	6.30 in 1925	6	0.27 in 1916
7	68.4 in 2013	7	6.20 in 1991	7	0.42 in 1952
	68.4 in 1916	8	5.91 in 1973	8	0.43 in 1968
9	68.2 in 1989	9	5.45 in 1979	9	0.44 in 1974
10	67.7 in 1993	10	5.26 in 1958	10	0.47 in 1990
	67.7 in 1949				
...		
26	65.3 in 2017	84	0.68 in 2017	20	0.68 in 2017
	65.3 in 2007				

Normal Temperature for January at SPG = 61.6

Normal Rainfall for January at SPG = 2.57

Top Driest Nov - Jan Periods (inches)

- 1 0.99 in 2016-2017**
- 2 1.71 in 1938-1939
- 3 1.72 in 1949-1950
- 4 1.81 in 1975-1976
- 5 1.86 in 1934-1935

Normal Rainfall Nov - Jan = 7.22 in

PLANT CITY (records began in September 1892):

Warmest Januarys		Wettest Januarys		Driest Januarys	
1	71.2 in 1974	1	9.03 in 1948	1	0.00 in 1950
	71.2 in 1937	2	6.88 in 2016	2	Trace in 1905
3	69.9 in 1947	3	6.70 in 1912	3	0.07 in 1927
4	68.8 in 1972	4	6.39 in 1964	4	0.21 in 1949
5	68.4 in 1950	5	6.33 in 1973	5	0.25 in 1937
6	68.2 in 1913	6	6.12 in 1993	6	0.28 in 1907
7	66.9 in 2013	7	5.98 in 1959	7	0.29 in 1902
	66.9 in 1993	8	5.97 in 1979	8	0.32 in 1976
	66.9 in 1975	9	5.94 in 1996	9	0.36 in 1968
10	66.7 in 1991	10	5.86 in 1926	10	0.37 in 1990
	66.7 in 1989	
	66.7 in 1949	82	1.30 in 2017	37	1.30 in 2017
...					
16	65.9 in 2017				

Normal Temperature for January at PLCF1 = 60.5

Normal Rainfall for January at PLCF1 = 2.72

Top Driest Nov - Jan Periods (inches)

- 1 0.73 in 1906-1907
- 2 1.58 in 1934-1935
- 3 1.75 in 1946-1947
- 4 1.77 in 2016-2017**
- 5 1.89 in 1975-1976

Normal Rainfall Nov - Jan = 7.21 in

LAKELAND AREA (records began in January 1915):

Warmest Januarys		Wettest Januarys		Driest Januarys	
1	71.6 in 1937	1	8.74 in 1948	1	0.04 in 1927
2	71.0 in 1974	2	8.66 in 1993	2	0.12 in 1950
3	69.2 in 1947	3	7.21 in 1979	3	0.20 in 1949
4	68.9 in 1950	4	6.77 in 2016	4	0.26 in 1971
5	68.4 in 1932	5	5.98 in 1915	5	0.27 in 1951
6	67.7 in 1989	6	5.91 in 1925	6	0.29 in 1968
7	67.6 in 1916	7	5.78 in 2011	7	0.40 in 1990
8	67.5 in 1993	8	5.71 in 1964	8	0.41 in 2013
	67.5 in 1917	9	5.60 in 1966	9	0.46 in 1922
10	67.3 in 2013	10	5.56 in 1996	10	0.48 in 1943
	67.3 in 1972	
...		37	2.81 in 2017	67	2.81 in 2017
16	65.4 in 2017				

Normal Temperature for January at LLDF1 = 60.7

Normal Rainfall for January at LLDF1 = 2.64

Top Driest Nov - Jan Periods (inches)

1	1.31 in 1927-1928
2	1.37 in 1934-1935
3	1.65 in 1970-1971
4	1.87 in 1966-1967
5	1.89 in 2011-2012
...	
27	3.84 in 2016-2017

Normal Rainfall Nov - Jan = 7.54 in

WINTER HAVEN AREA (records began in March 1941):

Warmest Januarys		Wettest Januarys		Driest Januarys	
1	71.7 in 1974	1	7.46 in 1948	1	0.02 in 1950
2	71.4 in 1989	2	6.57 in 1979	2	0.14 in 1949
3	71.3 in 1947	3	5.91 in 1966	3	0.19 in 2013
4	69.6 in 1950	4	5.88 in 2016	4	0.20 in 1951
5	68.9 in 1991	5	5.78 in 1996	5	0.24 in 1971
6	68.3 in 1972	6	5.62 in 1993	6	0.40 in 1968
7	67.6 in 1993		5.62 in 1964	7	0.42 in 1981
8	67.5 in 1949	8	5.39 in 1973	8	0.48 in 1952
9	67.2 in 1990	9	5.30 in 1958	9	0.61 in 1974
10	66.7 in 2013	10	5.22 in 2004		0.61 in 1947
	66.7 in 1975	
...		50	1.34 in 2017	27	1.34 in 2017
13	64.9 in 2017				

Normal Temperature for January at GIF = 60.8

Normal Rainfall for January at GIF = 2.48

Top Driest Nov - Jan Periods (inches)

1	0.99 in 2011-2012
2	1.87 in 1970-1971
3	1.96 in 2012-2013
4	2.14 in 1991-1992
5	2.45 in 1943-1944
6	2.48 in 2000-2001
7	2.61 in 1956-1957
8	2.67 in 2016-2017

Normal Rainfall Nov - Jan = 7.24 in

BARTOW (records began in June 1892):

Warmest Januarys	Wettest Januarys	Driest Januarys
1 71.2 in 1974	1 7.79 in 1948	1 0.03 in 1950
2 70.7 in 1937	2 7.18 in 1926	2 0.10 in 1927
3 68.3 in 1950	3 6.99 in 2016	3 0.16 in 1949
4 68.0 in 1991	4 6.98 in 1915	4 0.19 in 1990
5 67.9 in 1989	5 6.65 in 1958	5 0.23 in 1902
6 67.7 in 1972	6 6.64 in 1903	6 0.25 in 1974
7 67.6 in 1947	7 6.60 in 1936	7 0.31 in 1968
8 67.2 in 1913	8 6.17 in 1912	8 0.33 in 1951
9 67.0 in 1993	9 6.13 in 1973	9 0.34 in 1971
67.0 in 1975	10 6.02 in 1966	10 0.35 in 1905
...
19 64.0 in 2017	69 1.64 in 2017	56 1.64 in 2017
64.0 in 1998		
64.0 in 1903		

Normal Temperature for January at BARF1 = 61.8

Normal Rainfall for January at BARF1 = 2.37

Top Driest Nov - Jan Periods (inches)

1	1.05 in 2011-2012
2	1.38 in 1934-1935
3	1.84 in 1970-1971
4	1.85 in 1928-1929
5	1.95 in 2016-2017

Normal Rainfall Nov - Jan = 7.03 in

SARASOTA-BRADENTON AREA (records began in January 1911):

Warmest Januarys		Wettest Januarys		Driest Januarys	
1	72.0 in 1937	1	10.26 in 1998	1	0.00 in 1950
2	71.1 in 1974	2	9.03 in 1993	2	0.02 in 1927
3	70.5 in 1950	3	7.84 in 1948	3	0.03 in 1974
4	67.9 in 1993	4	7.52 in 1958	4	0.20 in 2013
5	67.7 in 1990	5	7.42 in 1915		0.20 in 1937
6	67.6 in 1989	6	6.24 in 2006	9	0.22 in 1956
7	67.5 in 1916	7	5.98 in 1912	7	0.28 in 2003
8	67.1 in 1991	8	5.92 in 1979	8	0.29 in 1990
	67.1 in 1932	9	5.24 in 1936	9	0.34 in 2001
10	67.0 in 2013	10	5.15 in 1966		0.34 in 1933
...		
18	64.7 in 2017	63	1.70 in 2017	43	1.70 in 2017

Normal Temperature for January at SRQ = 61.4

Normal Rainfall for January at SRQ = 2.49

Top Driest Nov - Jan Periods (inches)

1	0.92 in 1946-1947
2	1.48 in 1991-1992
3	1.50 in 1975-1976
4	1.60 in 1934-1935
5	1.67 in 1949-1950
...	
14	2.97 in 2016-2017

Normal Rainfall Nov - Jan = 6.95 in

VENICE (records began in April 1955):

Warmest Januarys	Wettest Januarys	Driest Januarys
1 69.9 in 1989	1 9.32 in 1958	1 0.10 in 1968
2 69.8 in 1974	2 7.34 in 2016	2 0.15 in 2003
3 69.2 in 1972	3 7.00 in 1973	3 0.24 in 1974
4 69.1 in 2013	4 6.62 in 1966	4 0.27 in 1990
5 65.7 in 1999	5 6.39 in 1993	5 0.36 in 2012
6 65.3 in 2017	6 6.28 in 1979	6 0.37 in 2001
7 65.1 in 1975	7 5.89 in 1999	7 0.43 in 1975
65.1 in 1967	8 4.78 in 1991	8 0.46 in 1971
9 64.9 in 1998	9 4.54 in 1994	9 0.49 in 2013
10 64.8 in 2007	10 4.41 in 1996	10 0.54 in 1982

	42 1.23 in 2017	20 1.23 in 2017

Normal Temperature for January at VNCF1 = 61.4

Normal Rainfall for January at VNCF1 = 2.44

Top Driest Nov - Jan Periods (inches)

1 1.23 in 1991-1992
2 1.33 in 2016-2017
3 1.88 in 1975-1976
4 2.13 in 2011-2012
5 2.31 in 1966-1967

Normal Rainfall Nov - Jan = 6.58 in

WAUCHULA 2 N (records began in January 1933):

Warmest Januarys		Wettest Januarys		Driest Januarys	
1	73.1 in 1937	1	7.84 in 1979	1	0.00 in 2001
2	71.4 in 1974	2	7.26 in 1973		0.00 in 2000
3	69.9 in 1947	3	7.20 in 1958	3	0.03 in 1974
4	69.0 in 1972	4	6.89 in 2016	4	0.08 in 1950
5	68.1 in 1991	5	6.49 in 1966	5	0.14 in 1990
6	67.9 in 1989	6	6.09 in 1998	6	0.26 in 1949
7	67.8 in 1990	7	5.93 in 1993	7	0.27 in 1935
8	67.7 in 1950	8	4.53 in 1936	8	0.29 in 2013
9	67.5 in 1975	9	4.29 in 1983	9	0.30 in 1992
10	67.0 in 1993	10	4.19 in 1948	10	0.33 in 2006
...		
19	63.6 in 2017	42	1.84 in 2017	43	1.84 in 2017
	63.6 in 2008				
	63.6 in 1935				

Normal Temperature for January at WAUF1 = 61.6
Normal Rainfall for January at WAUF1 = 2.04

Top Driest Nov - Jan Periods (inches)

1	0.70 in 1991-1992
2	0.90 in 2011-2012
3	1.52 in 1966-1967
4	1.55 in 1934-1935
5	1.93 in 1948-1949
...	
24	3.08 in 2016-2017

Normal Rainfall Nov - Jan = 6.33 in

MYAKKA RIVER STATE PARK (Temperature records began in March 1956
and Rainfall records began in Sep 1943):

Warmest Januarys	Wettest Januarys	Driest Januarys
1 69.5 in 1974	1 9.30 in 1993	1 0.00 in 1974
2 69.2 in 1993	2 8.25 in 1973	0.00 in 1950
3 67.7 in 1972	3 7.38 in 1979	3 0.08 in 2003
4 67.4 in 2013	4 6.84 in 2016	4 0.09 in 1968
67.4 in 1991	5 6.82 in 1958	5 0.17 in 1990
6 67.3 in 1989	6 5.64 in 1999	6 0.21 in 2001
67.3 in 1975	7 5.53 in 1987	7 0.31 in 2006
8 67.0 in 1990	8 5.42 in 1991	8 0.32 in 1951
9 66.3 in 2007	9 5.13 in 1966	9 0.54 in 1975
10 65.5 in 1957	10 5.03 in 1998	10 0.58 in 2013

Average Temperature for January 2017 = Not Available Yet
Normal Temperature for January at MKCF1 = 61.5

Total Rainfall for January 2017 = Not Available Yet
Normal Rainfall for January at MKCF1 = 2.73

ARCADIA (records began in November 1899)

Warmest Januarys	Wettest Januarys	Driest Januarys
1 72.2 in 1937	1 8.52 in 2016	1 0.00 in 1990
2 71.1 in 1974	2 7.93 in 1958	0.00 in 1974
3 70.4 in 1947	3 6.80 in 1988	0.00 in 1950
4 69.6 in 1913	4 6.25 in 1973	0.00 in 1916
5 68.2 in 1950	5 6.08 in 1979	5 0.02 in 2003
6 68.1 in 1972	6 5.96 in 1915	0.02 in 1949
68.1 in 1916	7 5.39 in 1998	0.02 in 1927
8 67.5 in 1932	8 5.17 in 1926	8 0.14 in 1971
9 67.2 in 1949	9 5.13 in 1961	9 0.22 in 1905
10 67.1 in 1993	10 4.96 in 1904	0.22 in 1902
67.1 in 1925		

Average Temperature for January 2017 = Not Available Yet
Normal Temperature for January at ARCF1 = 60.2

Total Rainfall for January 2017 = Not Available Yet
Normal Rainfall for January at ARCF1 = 1.82

ARCHBOLD BIO STN (records began in January 1969):

Warmest Januarys		Wettest Januarys		Driest Januarys	
1	69.7 in 1974	1	9.64 in 2016	1	0.08 in 1976
2	67.5 in 1993	2	7.91 in 1979	2	0.13 in 1975
3	67.4 in 1975	3	5.65 in 1998	3	0.22 in 2007
	67.4 in 1972	4	5.17 in 1991	4	0.25 in 1972
5	66.9 in 1991	5	5.12 in 1993	5	0.26 in 2001
6	66.6 in 1990	6	5.11 in 1973	6	0.29 in 2012
7	65.9 in 2013	7	4.78 in 1970	7	0.31 in 2006
8	65.7 in 1989	8	4.41 in 1983	8	0.33 in 1974
9	65.0 in 2017	9	3.82 in 1994	9	0.36 in 1992
10	64.4 in 2007	10	3.72 in 1981		0.36 in 1981
		
		34	0.71 in 2017	16	0.71 in 2017

Normal Temperature for January at ACHF1 = 60.0

Normal Rainfall for January at ACHF1 = 1.92

Top Driest Nov - Jan Periods (inches)

- 1 0.81 in 1975-1976
- 2 0.88 in 2000-2001
- 3 1.00 in 1970-1971
- 4 1.25 in 2016-2017**
- 5 1.55 in 2011-2012

Normal Rainfall Nov - Jan = 5.82 in

PUNTA GORDA 4 ESE (records began in May 1914):

Warmest Januarys		Wettest Januarys		Driest Januarys	
1	71.7 in 1950	1	8.83 in 2016	1	0.00 in 1950
2	71.3 in 1937	2	7.07 in 1979		0.00 in 1949
3	71.1 in 1974	3	6.95 in 1958	3	0.08 in 1990
4	70.8 in 1947	4	6.29 in 1973	4	0.10 in 1974
5	70.4 in 1949	5	5.89 in 1926		0.10 in 1951
6	69.8 in 1993	6	5.84 in 1991	6	0.11 in 1968
7	69.1 in 1972	7	5.51 in 1948	7	0.12 in 2001
8	68.6 in 1991	8	5.18 in 1966	8	0.21 in 1927
9	68.5 in 1989	9	4.95 in 1931	9	0.27 in 1928
	68.5 in 1932	10	4.86 in 1970	10	0.30 in 1976
	68.5 in 1916	
...		67	0.84 in 2017	33	0.84 in 2017
19	66.7 in 2017				
	66.7 in 1962				

Normal Temperature for January at PNTF1 = 63.2

Normal Rainfall for January at PNTF1 = 1.80

Top Driest Nov - Jan Periods (inches)

- 1 1.09 in 2000-2001
- 2 1.23 in 2016-2017**
- 3 1.45 in 1948-1949
- 4 1.53 in 1961-1962
- 5 1.54 in 1975-1976

Normal Rainfall Nov - Jan = 5.49 in

FORT MYERS AREA (records began in January 1902):

Warmest Januarys		Wettest Januarys		Driest Januarys	
1	73.5 in 1937	1	12.98 in 2016	1	0.00 in 1950
2	73.0 in 1974	2	7.95 in 1991	2	Trace in 2001
3	70.9 in 1972	3	7.45 in 1979	3	0.01 in 1949
4	70.8 in 1947	4	6.04 in 1958		0.01 in 1917
5	70.3 in 1991	5	5.36 in 1993	5	0.05 in 1916
6	70.0 in 1993	6	4.76 in 1903	6	0.15 in 2012
	70.0 in 1950	7	4.50 in 1983		0.15 in 1984
	70.0 in 1913	8	4.36 in 1970	8	0.21 in 1976
9	69.9 in 2013	9	4.25 in 1924	9	0.22 in 1920
	69.9 in 1989	10	4.16 in 1948	10	0.23 in 1928
...		
17	68.1 in 2017	53	1.53 in 2017	64	1.53 in 2017

Normal Temperature for January at FMY = 64.2

Normal Rainfall for January at FMY = 1.94

Top Driest Nov - Jan Periods (inches)

1	0.45 in 2000-2001
2	0.77 in 2011-2012
3	1.05 in 1938-1939
4	1.09 in 1948-1949
5	1.21 in 1934-1935
...	
15	1.77 in 2016-2017

Normal Rainfall Nov - Jan = 5.61 in

For more local climate information, please visit our web page at <http://weather.gov/tampabay> and look within the "Climate and Past Weather" drop down menu above the map of the area.